



In-mold measurement Mold marshaling system

MVS08 measurement software PVS Installation Manual

Thank you very much for purchasing the products of Futaba Corporation.

Read this instruction manual thoroughly and use it for a long time.

Do not use the product in any way other than that described in the instruction manual.



You are prohibited from copying this product, in whole or in part, without permission. This product is a copyright of Futaba Corporation, and its copyright is attributed to Futaba Corporation. The contents of this manual are subject to change without notice.

<u>1.</u>	Operating Environment	2
<u>2.</u>	Network settings	3
<u>3.</u>	How to install the application	6
<u>4.</u>	How to uninstall the application	8

1. Operating Environment

■Operation OS

This software confirms operation in the following environments.

- Windows 7(32bit)
- Windows 7(64bit)
- Windows 8(32bit)
- Windows 8(64bit)
- Windows 8.1(32bit)
- Windows 8.1(64bit)
- Windows 10(32bit)
- Windows 10(64bit)

Capacity

The following specifications are recommended.

CPU : More than Corei5

Memory : 4 GB or more

* As a rough guideline, PCs with 4GB or more of memory released after 2009 are targeted.

2. Network settings

To connect the PC to MVS08, you need to set the PC's networking settings. The defaults for MVS08 network settings and the PC settings for measurement are shown below.

		MVS08 Default value	Measurement PC
IP address	:	192.168.2.140	192.168.2.200
Subnet Mask	:	255.255.255.0	255.255.255.0

First of all

Disable Windows firewalls and other security-software.

Step 1: Click the [Start] button and select [Control Panel] from the displayed menu.

Step 2: Click [Network and Internet].



Step 3: Click [Network and Sharing Center].



Step 4: Click [Change adapter settings].

😋 🔍 👻 🕨 Control Panel 🕨	Network and Internet Network and Sharing Center	
Control Panel Home Change adapter settings	View your basic network information and	d set up connections
Change advanced sharing settings	WIN-OET29QK72EK Network (This computer)	Internet
	View your active networks	Connect or disconnect
	Network Public network	Access type: Internet Connections: 🖟 Local Area Connection
	Change your networking settings Set up a new connection or network Set up a wireless, broadband, dial-up, ad ho	oc, or VPN connection; or set up a router or access point.
	Connect to a network Connect or reconnect to a wireless, wired, o	dial-up, or VPN network connection.
	Choose homegroup and sharing options Access files and printers located on other n	etwork computers, or change sharing settings.
See also	Diagnose and repair network problems, or g	get troubleshooting information.
HomeGroup		
Internet Options		
Windows Firewall		

Step 5: Double-click the connection of the network adapter to connect to MPS08 ([Local Area Connection] in this example).

			X
CO V V Control Panel > Network and Internet > Network Connections >	• •	Search Network Connections	٩
Organize 🔻		€ ≓ ¥≓ ▼	0
Local Area Connection Network Intel(R) PRO/1000 MT Network C			

Step 6: The "Local Area Connection Status" screen appears. Click the [Properties] button.

🃮 Local Area Connecti	ion Status		×
General			
Connection			
IPv4 Connectivity:			Internet
IPv6 Connectivity:		No Inter	net access
Media State:			Enabled
Duration:			00:20:59
Speed:			1.0 Gbps
Details			
Activity			
	Sent —	-	Received
Bytes:	6,412		4,515
Properties	🕞 Disable	Diagnose]
			Close

Step 7: The Local Area Connection Properties screen appears.

Select Protocol Version 4 (TCP/IPv4)], and click [Properties].

💡 Local Area Connection Properties 🛛 🕰
Networking
Connect using:
Intel(R) PRO/1000 MT Network Connection
Configure
This connection uses the following items:
Client for Microsoft Networks
🗹 👵 QoS Packet Scheduler
File and Printer Sharing for Microsoft Networks
Internet Protocol Version 6 (TCP/IPv6)
Internet Protocol Version 4 (TCP/IPv4)
Link-Layer Topology Discovery Mapper I/O Driver
Link-Layer Topology Discovery Responder
Instal Uninstal Properties
Description
Transmission Control Protocol/Internet Protocol. The default
wide area network protocol that provides communication
across diverse interconnected networks.
OK Cancel

- Step 8: The Internet Protocol Version 4 (TCP/IPv4) Properties window appears. Select [Use the following IP address (S)], set [IP address (I)] and [Subnet mask (U)], and click the [OK] button.
 - * To connect without changing the network settings on MVS08 (with the factory settings), set "192.168.2.200" for the IP address and "255.255.255.0" for the subnet mask.

Internet Protocol Version 4 (TCP/IPv4)	Properties
General	
You can get IP settings assigned autom this capability. Otherwise, you need to for the appropriate IP settings.	atically if your network supports ask your network administrator
 Obtain an IP address automaticall Use the following IP address: 	y
IP address:	192.168.2.200
S <u>u</u> bnet mask:	255.255.255.0
Default gateway:	
Obtain DNS server address autom	atically
• Use the following DNS server add	resses:
Preferred DNS server:	· · ·
<u>A</u> lternate DNS server:	
Validate settings upon exit	Ad <u>v</u> anced
	OK Cancel

3. How to install the application

Step 1: Run the installer file (extension: .exe).

名前	更新日時	種類	サイズ
🔀 MVS08_Installer.exe	2016/07/29 10:13	アプリケーション	2,413 KB

Step 2: The Specify Installation Destination screen appears. Click the Next button.

To change the "Destination Folder", click the [Browse] button.

Select the destination folder.

🐻 Setup - MVS08	
Select Destination Location Where should MVS08 be installed?	
Setup will install MVS08 into the following folder.	
To continue, click Next. If you would like to select a different folder, click	Browse.
C:¥Program Files¥FUTABA¥MVS08	Browse
At least 8.1 MB of free disk space is required.	
Next >	Cancel



Step 3:MVS08 [Ready to Install] window appears.

Click the [Install] button.

13	Setup - MVS08
	Ready to Install Setup is now ready to begin installing MVS08 on your computer.
	Click Install to continue with the installation, or click Back if you want to review or change any settings.
	Destination location: C:¥Program Files¥FUTABA¥MVS08
	۰
	< Back Install Cancel

Step 4: When the installation is complete, [Completing MVS08 Setup Wizard] window appears. Click the [Finish] button to complete the installation.

🕞 Setup - MVS08	
	Completing the MVS08 Setup Wizard Setup has finished installing MVS08 on your computer. The application may be launched by selecting the installed shortcuts. Click Finish to exit Setup.
	Einish

Step 5: When the installation is complete, a "MVS08" icon is added to the desktop. Double-click the "MVS08" icon to start the application.



4. How to uninstall the application

Step 1: Click the [Start] button and select [Control Panel] from the displayed menu.

Step 2: Click [Uninstall Programs].

Control Panel >		49 Search Control Panel
Adjust	your computer's settings	View by: Category -
*** *** ***	System and Security Review your computer's status Back up your computer Find and fix problems Network and Internet Connect to the Internet View network status and tasks Choose homegroup and sharing options Hardware and Sound View devices and printers Add a device Programs Uninstall a program	Image: Second

Step 3: Select "MVS08" from the list, and click [Uninstall].

Control Panel + Control Panel + Control Panel Home View installed updates Tum Windows features on or off	Programs Programs and Features					
	Organize -			ii • 🔟 🚷		
	Name	Publisher	Installed On	Size	Version	
	MMS Manager	Futaba Corporation	7/5/2013	14.8 MB	10.10.31	
	Currently installed programs Total size: 823 MB 2 programs installed					

Step 4: "Do you want to uninstall MVS08?" dialog box appears.

Click the [Yes] button.

Programs and Features	
Are you sure you want to uninstall MMS Ma	nager?
In the future, do not show me this dialog box	Yes No

FUTABA CORPORATION

http://www.futaba.co.jp

Inquiries about this product〒299-43951080 Yabuzuka, Chosei-mura, Chosei-gun, Chiba PrefectureTEL.0475-30-0809FAX.0475-30-0818

The specifications are subject to change without prior notice for product improvement.

MVS08-1610W-B1J